

**Literatur.**

*The Journal of Conchology. Vol. X No. 3.*

- p. 65. Newton, R. Bullen, the Geographical Distribution of extinct British Non-Marine Shells (Cont.).  
„ 75. Byne, L. St. G. & A. Leicester, the Marine Mollusca and Brachiopoda of the Isle of Man.  
„ 86. Whitwell, W., Notes on Shells observed and collected in East-Sussex.  
„ 91. Collier, Ed., Reversed Helices recently found in Lancashire.  
„ 92. Kew, H. Wallis, on the Mucous-Threads of Land Slugs.

*Annales de la Société Royale Malacologique de Belgique. — Tome XXXV, Année 1900.*

- p. 13. Dupuis, P. et le Dr. Putzeys, Diagnoses de quelques Coquilles nouvelles provenant de l'Etat indépendant du Congo. (Ganomidos fraterculus p. 8 fig. 18: — Perideriopsis fallsensis p. 13 f. 19, 20; — P. moulaënsis p. 14 fig. 21, 22; — Melania ponthier-villensis p. 14 fig. 23, mit var. spoliata fig. 24; — M. nyangweensis p. 16 fig. 25; — M. depravata p. 16 fig. 26, 27; — M. nsendwensis p. 17 fig. 28, 29; — M. soror p. 18 fig. 30; — M. consobrina p. 18 fig. 31, 32; — M. kinshassensis p. 19 fig. 33, 34.

*Hedley, Charles, some new or unfigured Australian Shells.*  
— In: Rec. Austral. Mus. v. 4 No. 1 (March. 1901).

- Neu oder zum erstenmal abgebildet: *Natica subcostata* T. Woods fig. 3; — *Mangelia desalesii* T. Wood fig. 4; — *Carditella delta* Tate & May fig. 4; — *Philobrya tatei* n. p. 24 fig. 6; — *Periploma micans* n. p. 25 fig. 7; — *Sarepta tellinaeformis* n. p. 26 fig. 8.

*Hedley, Charles, Studies on Australian Mollusca III.* — In: P. Linn. Soc. N. S. Wales 1900, part. 4 (May 1901).  
With pl. III.

- Neu *Mathilda rosae* p. 722 t. 48 fig. 13, 14; — *Leuconopsis inermis* p. 722 t. 48 fig. 15; — *Stenothyra australis* p. 724 t. 48 fig. 10; — *Iravadia australis* p. 724 t. 727 48 f. 12; — *Callomphala globosa* p. 728 t. 26; — *Endodonta concinna* p. 729 t. 48 fig. 2—3, Cundaberg, Queensland; — *Chlamys fenestrata* p. 730 t. 48 fig. 17—19; — Ferner sind abgebildet: *Bittium minimum*,

T. Woods fig. 20; — *Blauneria leonardi* Crosse t. 48 fig. 9; — *Daphnella tasmanica* T. Wood fig. 21; — *Hydatina tasmanica* (Aker) Bedd. fig. 22; — *Trophon brazieri* T. Woods fig. 23; — *Euthria clarkei* T. Woods fig. 24; — *Schismope pulchra*, Petterd fig. 25; — *Petterdiana thoanumi* Pilsbry p. 727 t. 48 fig. 11; — *Stylifer petterdi* Tate & May f. 27; — *Asaphis contraria* (*Psammobia*) Deshayes t. 48 f. 4—8.

*Proceedings of the Malacological Society of London.* — Vol. 4 No. 5.

- p. 187. Godwin-Austen, H. H., Anatomy of the *Helix ampulla* Bens. and its generic position in the Ariophantinae. (*Indrella* n. subgen., neben *Nilgiria* zu stellen).
- „ 191. Gude, G. K., a third report on Helicoid Land-Shells from Japan and the Loo-Choo Island. With pl. 19—21. Zahlreiche Arten zum ersten Mal abgebildet. Neu: *Trishoplita setacea* var. *decussata* p. 194; — *Eulota friedeliana* var. *tumida* p. 195.
- „ 202. Pace, S. on the rediscovery of *Euselenops* (= *Neda*) *limiceps*, Cuv.
- „ 205. Pace, S., Note on the Anatomy of *Thersites* (*Hadra*) *bipartita*. (Fér.).
- „ 208. Sowerby, G. B., Descriptions of new species of Marine Mollusca collected by the late Otto Koch at the Island of Cebu, Philippines. Neu: *Phos nitens* p. 208 t. 22 fig. 1; — *Nassa cebuensis* p. 208 t. 22 fig. 2; — *Drillia fusco-nitens* p. 208 t. 22 fig. 3; — *Eulima submarginata* p. 209 t. 22 fig. 4; — *Subularia piperata* p. 209 t. 22 fig. 5; — *Stylifer kochianus* p. 209 t. 22 fig. 6; — *Pyrgulina intersculpta* p. 220 t. 22 fig. 9; — *Scala humerosa* p. 210 t. 22 fig. 10; — *Triforis picturatus* p. 210 t. 22 fig. 11; — *Cerithium oscitans* p. 211 t. 22 fig. 12; — *Emarginula biangulata* p. 211 t. 22 fig. 13; — *Arca bicarinata* p. 211 t. 22 fig. 14.
- „ 212. Sowerby, G. B., Description of *Marginella princeps* n. t. 22 fig. 15.
- „ 213. Sowerby, G. B., on seven new species of Marine Mollusca collected by Dr. H. Becker at „the Kowie“ South Afrika. — Neu: *Trophon kowicensis* p. 213 t. 22 fig. 16; — *Mitra kowieensis* p. 213 t. 22 fig. 17; — *Turbonilla bathyrhappe* p. 213 t. 22 fig. 18; — *Odostomia* (*Pyrgulina*) *robusta* p. 214 t. 22 fig. 19; — *Drillia rugisculpta* p. 214 t. 22 fig. 20; — *Solariella beckeri* p. 214 t. 22 fig. 22.

- p. 216. Sanderborn, C. Davies, Notes on the Dates of Publication of the Parts of Kieners „Species Général et Iconographie des Coquilles vivants.“
- „ 220. Sykes, E. R., Notes on the Genus *Temesa*. H. & A. Adams, with Descriptions of two new Land-Shells (*Temesa* and *Clausilia*), from South America. *Neu Clausilia pilsbryi* p. 221 fig. 2; — *Temesa magnifica* p. 221 fig. 3.
- „ 223. Bullen, R. Ashington, on two apparently new species of *Corbicula* (*subtriangularis* p. t. 23 fig. 1; — *fulgida* t. 23 fig. 2.

*The Journal of Conchology.* — Vol. 10 No. 4 October 1901.

- p. 97. Kew, H. Wallis, on the Mucus-Threads of Land-Slugs. (Cont.).
- „ 104. Smith, Edg. A., on South-African Marine Shells, with descriptions of new species. — *Neu: Glyphis spreta* (= *Fissurella fimbriata* Sow. nec Reeve) t. 1 fig. 18; — *Gl. elizabethae* (= *sieboldii* Sow. nec Reeve) t. 1 fig. 12; — *Patella decemcostata* p. 106 t. 1 fig. 22; — *Acmaea roseoradiata* p. 106 t. 1 fig. 19; — *Ac. albonotata* p. 107 t. 1 fig. 14, 16; — *Rissoa crawfordi* p. 107 t. 1 fig. 13; — *Radius gracillimus* p. 107 t. 1 fig. 20 21; — *Cerithium rufonodulosum* p. 108 t. 1 fig. 8; — *Odosstomia lavertinae* (= *angasi* Sow. nec Tryon) p. 108 t. 1 fig. 15; — *Eulima translucida* p. 109 t. fig. 11; — *E. algoënsis* p. 109 t. 1 fig. 10; — *Euthria queckettii* p. 110 t. 1 fig. 1; — *Tritonidea natalensis* (= *subrubiginosa* Sow. nec Smith), p. 111 t. 1 fig. 23; — *Astyris lightfooti* p. 112 t. 1 fig. 8; — *Anachis burnupi* p. 112 t. 1 fig. 2; — *Murex fallax* p. 113 t. 1 fig. 9; — *Marginella algoënsis* p. 114 t. 1 fig. 4; — *Clavatula parilis* p. 115 t. 1 fig. 7; — *Terebra* (*Abretia*) *diversa* (= *rufopunctata* Sow. nec Smith) p. 115 t. 1 fig. 6.
- „ 117. Melvill, J. Cosmo, *Cypraea chrysalis* Kien. and *C. microdon* Gray. — (*C. minoridens* nom nov. für *C. microdon* auct. nec Gray.).
- „ 122. Marshall, J. T., Additions to „British Conchology“ (cont.). *Neu Eulima anceps*.

*Journal de Conchyliologie.* — Vol. 49 No. 4.

- p. 197. Gude, G. K., sur une collection de *Plectopylis* du Tonkin, avec la description de six espèces nouvelles. Avec pl. VI. *Neu Pl. dautzenbergi* p. 198 Textf. 1 t. 6 fig. 1; — *Pl. bavayi* p. 200 Textf. 2, t. 6 fig. 2; — *Pl. tenuis* Textf. 3, t. 6 fig. 3; — *Pl. fischeri* Textf. 4, t. 6 fig. 4; — *Pl. emigrans* Mlldff.

- Textf. 5, t. 6 fig. 5; — *Pl. anceyi* Textf. 6, t. 6 fig. 6; — *Pl. persimilis* Textf. 7, t. 6 fig. 7.
- p. 213. Dautzenberg, Ph., Description de deux Bulimulidès provenant du Perou (*Peronaeus jocorensis* t. 8 fig. 1, 2 und *P. baeri* t. 8 fig. 3, 4.
- „ 215. Dautzenberg, Ph. und J. Bernier, Description d'un Bulimidé nouveau, provenant de la Nouvelle-Caledonie (*Leucocharis porphyrochila* t. fig. 5, 6).
- „ 219. Ancey, G. F., Notes critiques et synonymiques sur quelques Mollusques. — *Ennea zanguebarica* Morel. = *obesa* Gibbons. — *E. longula* Smith = *Bulimus exiguus* Morel.; — Für *Ennea Bourguignatiana* wird die Priorität vor *E. subringens* Crosse verlangt. — *propinqua* Mouss. = *castanea* Rousseau; — *N. chryso-colla* Gould = *rivula* Rousseau. — Für *Lechaptocsia* (Ancey) Bourg wird entgegen Martens die Priorität vor *Horea* Smith reklamirt. *Hydrobia caledonensis* Chaper = *Tomichia ventricosa* Sow.
- „ 226. Pallary, Paul, Diagnoses de quelques Coquilles nouvelles, provenant du Maroc. (*Nassa tingitana*, *Xerophila dauræ*, *Xer. vaucheri*, *Melanopsis mourebeyensis*).
- „ 229. Dollfus, G. & Ph. Dautzenberg, Nouvelle Liste des Pelecypodes, et des Brachiopodes fossiles du Miocène moyen du Nord-Ouest de la France.

*Proceedings of the Malacological Society of London.* — Vol. 4 No. 6 October 1901.

- p. 231. Smith, Edg. A., a List of the known forms of Volutidae from South-Africa, with descriptions of two new species of *Voluta* from Africa. (*Neu Alcihoë ponsonbyi* und *Lyria queckettii*, beide im Text abgebildet). 7 Arten sind bekannt.
- „ 236. Kennard, A. S. and Woodward, B. B., Note on the occurrence of *Planorbis stroemi* Westerl. in the holocene Deposits of the Thames Valley.
- „ 237. Preston, H. B., Description of *Cymbiola maugeri*, a supposed new Species from the Falkland Islands. Mit Textfigur.
- „ 238. da Costa, S. J., Descriptios of new Species of Land-Shells from Central- and South-America. — Neu: *Drymaeus chiriquensis* p. 238 t. 24 fig. 1; — *Dr. obliquistriatus* fig. 2; — *Dr. cylindricus* fig. 3; — *Dr. elsteri* fig. 6; — *Dr. subventricosus* p. 239 fig. 4; — *Dr. exoticus* fig. 10; — *Dr. expansus* var. *perenensis*

- fig. 5; — *Dryptus indentatus* fig. 8; — *Neocyclotus columbiensis* p. 240 fig. 7; — *N. caucaensis* fig. 9.
- p. 241. Blanford, W. T., Notes on *Ariophanta*, *Xestina*, *Nilgirica* and *Euplecta*. With pl. 25; Neu: *Ariophanta canarica* p. 248 fig. 1; — *Ar. heteraea* p. 248 t. 2; — *Ar. (Xestina) gassii* p. 249 fig. 3; — *Euplecta transfretata* p. 249 fig. 9; — *Eu. agastyae* p. 250 fig. 10; — *Eu. binoyaensis* p. 250 fig. 7; — *Eu. laevis* p. 281 fig. 8; — *Eu. fluctuosa* p. 251, Textf.; — *Eu. granulifera* p. 252, Textf.; — *Eu. oribates* p. 253, Textf.
- „ 254. Bullen, R. Ashington, Pleistocene Mollusca from the raised beach-deposits of Perim Island.
- „ 256. Crick, G. C., Note on a Dibranchiate Cephalopod from the London Clay of Sheppey.
- „ 259. Sykes, E. R., Description of *Onichochiton isipingoënsis* from South-Africa.
- „ 260. Sykes, E. R., Description of *Helicina pelewensis* n. sp. from the Pelew Islands. (Textf.), mit Abb. von *H. rufocallosa* Ancey.
- „ 261. Godwin-Austen, H. H., on the Anatomy of *Helix politissima* Pfeiffer, of Ceylon, and on its position in the *Ariophantinae* (*Ravana* n. subg.).

*Rossmässler's Iconographie, Neue Folge* v. IX Lfg. 3 & 4.

Neu beschrieben oder zum erstenmal abgebildet werden: *Pomatia salomonica* Naeg. no. 1614; — *Claus. staudingeri* Bttg. no. 1617; — *Campylaea kiralikoeica* Kim. no. 1618, 1619; — *Camp. crombezi* Loc. no. 1621; — *Euomphalia floerickei* Kob. no. 1623; — *Levantina mardinensis* Kob. no. 1630; — *Codringtonia prae-cellens* Naeg. no. 1636; — *Zebrinus detritus* v. *cilicicus* n. no. 1639; — *Pomatia fathallae* Naeg. no. 1640; — *Buliminus eudoxinus* Naeg. no. 1663; — *Bul. narcissei* Gall. no. 1635; — *Macularia grossularia* Mrts. no. 1671; — *Jacosta subsuta* Mrts. no. 1673; — *Pomatia oestreichi* n. no. 1674; — *Levantina, naegelei* Kob. no. 1675, 1676.

**Eingegangene Zahlungen:**

Wertheim, F., Berlin, Mk. 6.—; Hofer, Dr. J., Wädenswil, Mk 12.—; Museum, naturhist. Hamburg, Mk. 6.—; Clessin, S., Ochsenfurt, Mk. 6.—; Pfeiffer, K., Kassel, Mk. 6.—; Krause, Dr., A., Gr. Lichterfelde, Mk. 6.—; Neumann, R., Erfurt. Mk. 6.—; Reinhardt